

CLASS 1

# **Building Product Information Sheet**

Product name:	
Danfoss 2 Port Valve	Actuator
Product line (the product line	e from which the product is customised):
Zone Valve actuators	
Product description and its in	ntended use (measurements, materials, usage):
	ors with auxiliary switches and one metre of cable with industry standard wire
	les the valves to be opened manually, useful when filling the system.
4 wire actuator with	SPST Aux. Sw. 230V.
Connects to and used	d in conjunction with 2 port valves.
Not for use with pota	able water when integrated with a non-potable valve.
Product identifier (if applical	ble):
V2PZVA	
	Aotearoa New Zealand Overseas
Legal and trading name of th	e manufacturer(s):
Danfoss	
Legal and trading name of th	e manufacturer(s):
Central Heating New	Zealand Ltd
Address for service:	
STREET NAME 52 Pilkington	Way suburb Wigram
CITY, COUNTRY Christchurch	n, New Zealand Postcode 8042
Website:	https://www.centralheating.co.nz/
Email Address:	info@centralheating.co.nz
Phone No. (if applicable):	03 357 1233
NZBN (if applicable):	9429036621231



# Clause B2 DURABILITY: Performance B2.3.1 (b) Clause F2 HAZARDOUS BUILDING MATERIALS: Performance F2.3.1. Clause G10 PIPED SERVICES: Performance G10.3.1 (a).

Statement on how the building product is expected to contribute to compliance:

### Clause B2 DURABILITY:

Performance B2.3.1 (b) 15 years. Valve actuators are moderately easy to access and replace if installed in accordance with the instructions and product requirements.

## Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1. Valve actuators meet this requirement and do not present a health hazard to people.

# Clause G10 PIPED SERVICES:

Performance G10.3.1 (a). Heating valve actuators are intended for a non-potable piping system, which contributes to meeting this requirement when used in heating systems.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:
Please refer to the Danfoss 2 Port Valve Actuator <u>technical information</u> provided on the Central Heating
NZ website.
The hot water heating system must not be connected to the potable water supply system.
Design requirements that would support the use of the building product:
The heating system design, including the layout of the pipe, must be carried out by a suitably qualified
designer.
Please refer to the actuator <u>technical information</u> provided on the Central Heating NZ website.
Design must consider the requirement of building code clause H1 for pipework and heating design.
Installation requirements:
Please refer to the actuator <u>technical information</u> and installation instructions provided on the Central
Heating NZ website.
Treating NZ Website.
The system installation must be carried out by a licensed and qualified tradesperson, in accordance with
the design supplied by the suitably qualified designer.
A detailed as-built plan and site photos shall be provided upon the conclusion of installation showing
location of all associated pipework and the valve/actuator location on a heating schematic.
Actuator only, valve body separate.
Actuator only, valve body separate.
Maintenance requirements:
Maintenance requirements.

is the building product/building product line subject to warning or ban under section 26:			
Yes No			
If yes, description of the w	rning or ban under section 26:		
		_	
Date:	3 0 0 8 2 3		