

CLASS 1

Building Product Information Sheet

Product name:	
Danfoss 2 Port Zone	Valve Body
Product line (the product lin	ne from which the product is customised):
Zone Valves	
Product description and its	intended use (measurements, materials, usage):
High-capacity brass	valve body incorporating two self-cleaning positive shut-off shoes.
Requires operation	by actuator V2PZVA.
BSP female thread in	n 20mm and 25mm.
Not for use with pot	able water.
Product identifier (if applica	nhlo)·
V2PZVB25, V2PZVB2	
Please of manufacturer:	☐ Aotearoa New Zealand ☐ Overseas
Legal and trading name of t	he manufacturer(c)
Danfoss	The manufacture (13).
Legal and trading name of t	he manufacturer(s):
Central Heating Nev	v Zealand Ltd
Add	
Address for service: STREET NAME 52 Pilkington	Way suburb Wigram
STREET NAME 32 T TIKITIGEOTT	SUBURB WISIAIII
CITY, COUNTRY Christchurc	h, New Zealand
Website:	https://www.centralheating.co.nz/
Email Address:	info@centralheating.co.nz
Phone No. (if applicable):	03 357 1233
NZBN (if applicable):	9429036621231



Relevant Building Code clauses:
Clause B2 DURABILITY:
Performance B2.3.1 (b)
Clause F2 HAZARDOUS BUILDING MATERIALS:
Performance F2.3.1.
Clause G10 PIPED SERVICES:
Performance G10.3.1 (a).
Statement on how the building product is expected to contribute to compliance:
Clause R2 DLIRARILITY

Clause B2 DURABILITY:

Performance B2.3.1 (b) 15 years. Valves are moderately easy to access and replace if installed in accordance with the instructions and product requirements.

Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1. Brass valves meet this requirement and do not present a health hazard to people.

Clause G10 PIPED SERVICES:

Performance G10.3.1 (a). Heating valves are supplied by a non-potable piping system, which contributes to meeting this requirement when used in heating systems.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:
Please refer to the Danfoss valve <u>technical information</u> provided on the Central Heating NZ website.
The hot water heating system must not be connected to the potable water supply system.
Valve is not suitable for potable water supply.
Design requirements that would support the use of the building product:
The heating system design, including the layout of the pipe, must be carried out by a suitably qualified
designer.
Please refer to the valve <u>technical information</u> provided on the Central Heating NZ website.
Design must consider the requirement of building code clause H1 for pipework and heating design.
Installation requirements:
Please refer to the valve <u>technical information</u> provided on the Central Heating NZ website.
The system installation must be carried out by a licensed and qualified tradesperson, in accordance with
The system installation must be carried out by a licensed and qualified tradesperson, in accordance with the design supplied by the suitably qualified designer.
A detailed as-built plan and site photos shall be provided upon the conclusion of installation showing
location of all associated pipework and the valve location on a heating schematic.
Valve body only, requires operation by actuator V2PZVA.
Maintenance requirements:
Is the building product/building product line subject to warning or ban under section 26:
☐ Yes ☑ No
If yes, description of the warning or ban under section 26:

Date: 3 0 0 8 2 3

3