

CLASS 1

# **Building Product Information Sheet**

Product name:		
FAR Modulating Underfloor Mixer Unit		
Product line (the product lin	ne from which the product is customised):	
Underfloor Manifold Component		
Product description and its intended use (measurements, materials, usage):  EAR mixer enables automatic regulation of different supply temperature to the underfloor than what is		
FAR mixer enables automatic regulation of different supply temperature to the underfloor than what is		
being delivered from the heat pump or boiler.		
The actuator, incorporating an appropriate servomotor, permits automatic operation of a mixing valve. It		
operates in response to a signal coming from a temperature control unit.		
Not for use with pot	able water.	
Product identifier (if applica	inhe).	
UFMM1M		
Please of manufacturer: Aotearoa New Zealand Overseas		
Legal and trading name of the manufacturer(s):		
Far Rubinetterie SpA		
Legal and trading name of th	he manufacturer(c)	
Legal and trading name of the manufacturer(s):  Central Heating New Zealand Ltd		
central ricating ivew	/ Zealand Eta	
Address for service:		
STREET NAME 52 Pilkington	Way SUBURB Wigram	
CITY, COUNTRY Christchurch, New Zealand POSTCODE 8042		
Website:	https://www.centralheating.co.nz/	
Email Address:	info@centralheating.co.nz	
Phone No. (if applicable):	03 357 1233	
NZBN (if applicable):	9429036621231	



### Relevant Building Code clauses:

## Clause B2 DURABILITY:

Performance B2.3.1 (b)

Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1.

Clause G10 PIPED SERVICES:

Performance G10.3.1 (a).

Statement on how the building product is expected to contribute to compliance:

#### Clause B2 DURABILITY:

Performance B2.3.1 (b) 15 years. Heating system components are moderately easy to access and replace if installed in accordance with the instructions and product requirements.

#### Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1. components used in the mixer unit meet this requirement and do not present a health hazard to people.

## Clause G10 PIPED SERVICES:

Performance G10.3.1 (a). Heating system components are intended for a non-potable piping system, which contributes to meeting this requirement when used in heating systems.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:	
The hot water heating system must not be connected to the potable water supply system.	
Design requirements that would support the use of the building product:	
The heating system design, including the layout of the pipe, must be carried out by a suitably qualified designer.	
Please refer to the <u>technical information</u> provided on the Central Heating NZ website.	
Design must consider the requirement of building code clause H1 for pipework and heating design.	
Installation requirements:	
Please refer to the <u>technical information</u> provided on the Central Heating NZ website.	
The system installation must be carried out by a licensed and qualified tradesperson, in accordance with the design supplied by the suitably qualified designer.	
A detailed as-built plan and site photos shall be provided upon the conclusion of installation showing location of all associated pipework and the Modulating Underfloor Mixer Unit location on a heating schematic.	
Maintenance requirements:	
Is the building product/building product line subject to warning or ban under section 26:	
☐ Yes ☐ No	
If yes, description of the warning or ban under section 26:	
Date: 3 0 0 8 2 3	

3