

Building Product Information Sheet

Product name:

Underfloor heating manifold cabinet

Product line (the product line from which the product is customised):

Cabinets

Product description and its intended use (measurements, materials, usage):

Powder coated galvanised steel underfloor heating manifold cabinet

Product identifier (if applicable):

UFC0750/0900/ UFC1100/1200/1500

Please of manufacturer: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Stringer Fabricators Ltd

Legal and trading name of the manufacturer(s):

Central Heating New Zealand Ltd

Address for service:

STREET NAME 52 Pilkington Way

SUBURB Wigram

CITY, COUNTRY Christchurch, New Zealand

POSTCODE 8042

Website:

<https://www.centralheating.co.nz/>

Email Address:

info@centralheating.co.nz

Phone No. (if applicable):

03 357 1233

NZBN (if applicable):

9429036621231

Relevant Building Code clauses:

Clause B2 DURABILITY:

Performance B2.3.1 (b) and (c)

Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1.

Statement on how the building product is expected to contribute to compliance:

Clause B2 DURABILITY:

Performance B2.3.1 (b) 15 years and B2.3.1 (c) 5 years. The Underfloor heating manifold cabinet meets these requirements.

Clause F2 HAZARDOUS BUILDING MATERIALS:

Performance F2.3.1. The Underfloor heating manifold cabinet is powder coated galvanised steel meets this requirement and does not present a health hazard to people.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured.*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

Design requirements that would support the use of the building product:

Consider the location of the cabinet within structural load bearing framing, a load bearing lintel may be required.

Installation requirements:

Please refer to the Underfloor heating [manifold cabinet information](#) provided on the Central Heating NZ website.

Maintenance requirements:

The powder coated galvanised steel cabinet requires minimal maintenance.
Clean occasionally with a soft cloth and warm soapy water.
Visual inspection for leaks.

Is the building product/building product line subject to warning or ban under section 26:

Yes No

If yes, description of the warning or ban under section 26:

Date:

3 0 0 8 2 3