

Towel Rail Valve Options and Installation Detail

Danfoss Angle & Straight Lockshield Valve 15mm



Flow or Return

48mm (+/- 2mm)

Code: DANLSANG

Technical drawing showing dimensions: 30, R 1/2, 63, 27, Rp 1/2, 27, 30, 57.



Flow or Return

48mm (+/- 2mm)

Code: DANLSST

Technical drawing showing dimensions: 30, R 1/2, 27, 41, Rp 1/2, 53, 81.

Danfoss Angle & Straight Thermostatic Valve 15mm

Configuration for use with Danfoss **RAX Air** Temperature Sensing or **RTX Water** Temperature Sensing Head



Flow

48mm (+/- 2mm)

Technical drawing showing dimensions: 90, 47, 26, 58, 30, 80.




Flow

48mm (+/- 2mm)

Technical drawing showing dimensions: 30, R 1/2, 95, 67, R_s 1/2, 27, 90, 46.


Angle Thermostatic Valve	DANTHANG	Straight Thermostatic Valve	DANTHST
RAX White Air Sensing Head	DANTRV	RTX White Water Sensing Head	DANRTXW
RAX Chrome Air Sensing Head	DANTRVC	RTX Chrome Water Sensing Head	DANRTXC
RAX Brushed Stainless Air Sensing Head	DANTRVI		

Danfoss URX Valve Kit with RTX Water Sensing Head





VHX Duo Valve Kit with RTX Water Sensing Head

Configuration for use with 50mm Apart Port Towel rails



Pegler Valves with Air Sensing Heads



Code Angle Chrome Kit	PEG632230	Code Straight Chrome Kit	PEG632235
Code Angle White Kit	PEG632013	Code Straight White Kit	PEG632113

Electric Elements

Return

43 - 48mm

19mm

70mm Fixed

Flow

Danfoss Angle Valves

Flow or Return

43 - 48mm

19mm

70mm

Flow or Return

Pegler Angle Valves

Code 100W: **DLTREEPLAIN100**
Code 200W: **DLTREEPLAIN200**